MagPaint Europe B.V. Riezenweg 2 **NL - 7071 PR UIft**

SAFETY DATA SHEET

15 march 2018 Date of issue: BeamerPaint Finish Trade name:

Page: 1/9 Version: 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking.

1.1. Product

BeamerPaint Finish Trade name:

Projection paint Synonyms:

1.2 Relevant identified uses of the

substance or mixture and uses advised against

No further relevant information available.

Use of the substance / mixture

Coating material.

1.3 Details of the supplier providing the

safety data sheet

Tel .:

website:

e-mail

Tel .:

Fax.: E-mail:

Website:

Manufacturer: WAND-WERK GmbH

Auleiten 7

4910 Ried im Innkreis 0043 (0)676/9517001 www.wand-werk.at mg@wand-werk.at

Supplier: MagPaint Europe B.V.

> Riezenweg 2 7071 PR Ulft

THE NETERLANDS +31 (0) 315 38 64 73 +31 (0) 315 74 52 00 info@magpaint.com www.Paintforpros.com

Further information is available from:

Contact Person: Mike Poorthuis +31 (0) 315 38 64 73 Tel .: E-mail: info@magpaint.com 09h00-17h00 Business hours (on weekdays):

1.4 emergency number

The Netherlands: Nationaal Vergiftingen Informatie Centrum

> (NVIC) +31(0) 30 247 88 88 Beligan Poison Centre: +32(0) 70 245 245

Belgium: United Kingdom: UWIC) +44(0) 29 204 16388

SECTION 2: Hazards identification.

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008

Classification according to Directive

The product is not classified as hazardous according to the

67/548 / EEC or Directive 1999/45 / CLP regulation.

EC

MagPaint Europe B.V. Riezenweg 2

NL - 7071 PR UIft

SAFETY DATA SHEET

15 march 2018 Date of issue: BeamerPaint Finish Trade name:

Page: 2/9 Version: 3

Special hazard warnings for humans

and the environment:

Not applicable.

2.2 Label elements Not applicable.

Labeling according to Regulation (EC)

No 1272/2008

· Hazard pictograms Not applicable. Signal word Not applicable. Not applicable. · Hazard statements

Contains 1,2-benzisothiazol-3 (2H) -one, mixture of: 5-chloro-· Additional information:

2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-

one (3: 1). Can cause allergic reactions. Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients.

3.2 Chemical Characterization:

Mixtures

Description: Mixture of substances listed below with nonhazardous

additions.

Hazardous ingredients: CAS: 122-34-5; EINECS: 203-961-6

diglycol; Xi R36; Eye Irrit. 2, H319 < 2.5%

For the wording of the listed hazard statements, see section Add. Hints:

16.

SECTION 4: First aid measures.

4.1 Description of first aid measures

General information:

After inhalation: No special actions required.

Supply fresh air, consult doctor in case of complaints.

In case of intensive inhalation seek medical advice After eye contact:

immediately.

Rinse eyes under running water for 15 minutes with eyelids

open.

After swallowing: If symptoms persist consult a doctor.

Rinse your mouth and drink plenty of water.

Do not induce vomiting, seek medical attention immediately.

4.2 Most important symptoms and

effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.



MagPaint Europe B.V. Riezenweg 2 NL – 7071 PR Ulft

PAINT FOR PROS

SAFETY DATA SHEET

Date of issue: 15 march 2018
Trade name: BeamerPaint Finish

Page: 3/9 Version: 3

SECTION 5: Firefighting measures.

5.1 Extinguishing Media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fire

with water spray or alcohol resistant foam.

For safety reasons unsuitable

extinguishing agents:

Water in full jet

5.2 Special hazards arising from the

substance or mixture

In the case of a fire, besides the main combustion products,

carbon dioxide and

Carbon monoxide, even more harmful fire gases and vapors

arise.

5.3 Advice for firefighters

Special protective equipment:

Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures.

6.1 Personal precautions, protective equipment and in case of emergency

method to be used

Wear personal protective clothing.

6.2 Environmental protection

measures:

Do not empty into drains / surface waters / groundwater.

Do not allow to get into the ground / soil.

Inform respective authorities when entering in waters or the

sewerage.

6.3 Methods and material for

containment and cleaning up:

With liquid-binding material (sand, kieselguhr, acid binder,

universal binder)

record, tape.

6.4 Reference to other sections

For information on safe handling see section 7.

See section 8 for personal protection information.

Information on disposal, see section 13.

SECTION 7: Handling and storage.

7.1 Precautions for safe handling

The usual when dealing with chemicals and chemical building

materials

Take care. No special actions required. Wear personal protective equipment.

Information about fire and explosion

protection:

No special measures

required.

MagPaint Europe B.V. Riezenweg 2 **NL - 7071 PR UIft**

SAFETY DATA SHEET

15 march 2018 Date of issue: BeamerPaint Finish Trade name:

Page: 4/9 Version: 3

7.2 Conditions for safe storage taking

into account intolerances

Storage:

Requirements for storerooms and

containers: No special requirements.

Store away from food and feed. Storage instructions:

Further information on storage Keep container tightly closed.

conditions:

Protect from heat and direct sunlight.

Storage class: 12

VbF-Class: Not applicable.

7.3 Specific end use (s) No further relevant information available.

SECTION 8: Exposure controls/personal protection.

Additional notes on the design of

technical systems:

No further information, see section 7.

8.1 Parameters to be monitored

Components with workplace-related

limit values to be monitored:

112-34-5 butyl diglycol

MAK short-term value: 101.2 mg/m3, 15 ml/m3

Long-term value: 67.5 mg / m3, 10 ml / m3

8.2 Exposure controls

Personal protective equipment:

General protection and hygiene

measures:

The usual precautions when handling chemical building

materials and

Chemicals are to be considered.

Wash hands before breaks and at the end of work.

In case of insufficient ventilation respiratory protection. Respiratory protection:

Hand protection: Protective gloves.

Glove material: The selection of a suitable glove is not only from the material,

but also from

Depending on further quality characteristics and varies from

manufacturer to manufacturer. There

the product is a preparation of several substances, is the

resistance of

Glove materials are not predictable and therefore must be

before use be checked.

Breakthrough time of glove material: The exact breakthrough time can be found out from the glove

manufacturer and

observed.



MagPaint Europe B.V. Riezenweg 2

NL - 7071 PR UIft

SAFETY DATA SHEET

Date of issue: 15 march 2018
Trade name: BeamerPaint Finish

Page: 5/9 Version: 3

Not suitable are gloves made of the

following materials:

Eye protection:

Leather gloves.

When refilling goggles recommended.

Body protection: Protective clothing.

SECTION 9: Physical and chemical properties.

9.1 Information on basic physical and

chemical properties General Information

Appearance: Liquid.

Shape: According to product description.

Colour: Characteristic.
Odor: Not determined.
Odor threshold: Not determined.
PH value: Not determined.

change in condition

Melting Point / Range: 100 ° C
Boiling point / Not applicable.
Flash point: Not applicable.

Flammability:

Ignition temperature:

Decomposition temperature: Not determined.

Self-ignition temperature: The product is not self-igniting.

Explosion hazard:

Explosion limits: The product is not explosive.

Lower:

Upper:

Vapor pressure at 20 ° C:

Not determined.

Vapor pressure at 20 ° C:

23 hPa.

103 g / cm³

Density at 20 ° C:

Relative density:

Vapor Density:

Evaporation rate: · Solubility in /

1.02 g / cm³.

Not determined.

Not determined.

Not or hardly mixable.

miscibility with water:

Partition coefficient (n-octanol / water) Not determined.

Log Pow:

Viscosity:

Dynamic: Not determined. kinematic: Not determined. Viscosity: Thixotropic. Total organic solvents: 1.5%. Water: 67.2%.

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity.



MagPaint Europe B.V. Riezenweg 2 **NL - 7071 PR UIft**

SAFETY DATA SHEET

15 march 2018 Date of issue: BeamerPaint Finish Trade name:

Page: 6/9 Version: 3

10.1 reactivity No further relevant information available.

10.2 Chemical stability

Conditions to avoid: No decomposition if used according to specifications

Use.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition With proper storage, proper handling and intended use

products: Use: none

SECTION 11: Toxicological information.

11.1 Information on toxicological

effects

acute toxicity Based on available data, the classification criteria are not met.

Primary irritant effect:

Skin corrosion / irritation Based on available data, the classification criteria are not met.

Serious eye damage / irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Subacute to chronic toxicity:

CMR effects (carcinogenic, mutagenic

and Reproductive effect)

Gametes mutagenicity

Carcinogenicity

reproductive toxicity

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

There are no data available for this point.

Specific target organ toxicity - single

exposure

Specific target organ toxicity -

repeated exposure

Aspiration

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

SECTION 12: Ecological information.

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.



MagPaint Europe B.V. Riezenweg 2

NL – 7071 PR Ulft

SAFETY DATA SHEET

general information:

Date of issue: 15 march 2018
Trade name: BeamerPaint Finish

Page: 7/9 Version: 3

12.4 Mobility in soil No further relevant information available.

Further ecological information and

Water hazard class 1 (self-assessment): slightly hazardous for

water

Do not allow undiluted product or large quantities of it to reach

ground water, water course or sewage system.

12.5 Results of PBT and vPvB

assessment

PBT: Not applicable. vPvB: Not applicable.

12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations.

13.1 Waste treatment methods Hazardous waste incineration or problem substance collection

Recommendation: points. Do not discard with household waste. Do not discharge

into drains, soil or waterways.

Waste code: 57303 according to ÖNORM S 2100 plastic dispersions

(water-based)

Disposal methods:

Chemical-physical treatment: Suitable.
Biological treatment: Not suitable.

Thermal treatment: Conditioning required.

Disposal: Not suitable.

Uncleaned packaging:

Recommendation: Disposal according to official regulations. Dispose of

uncleaned packaging such as product. Empty containers

completely and transfer collection points.

SECTION 14: Transport information.

14.1 UN number

ADR, ADN, IMDG, IATA Not applicable.

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA Not applicable.

14.3 Transport hazard classes

ADR, ADN, IMDG, IATA class Not applicable.

14.4 Packing group

ADR, IMDG, IATA Not applicable.

14.5 Environmental hazards: Not applicable.

MagPaint Europe B.V. Riezenweg 2 NL – 7071 PR Ulft



SAFETY DATA SHEET

Date of issue: 15 march 2018
Trade name: BeamerPaint Finish

Page: 8/9 Version: 3

14.6 Special precautions for user: Not applicable.

 14.7 Transport in bulk according to Annex II of MARPOL Convention and

According to IBC Code

Not applicable.

Transportation / further information: No dangerous good according to the above regulations.

UN "Model Regulation": Not applicable.

SECTION 15: Regulatory information.

15.1 Safety, health and environmental regulations / legislation specific for the

substance or mixture:

Labeling according to Regulation (EC) Not applicable

No 1272/2008:

hazard pictograms
signal word
Statements
Not applicable
Not applicable

Directive 2012/18 / EU

Named dangerous substances -

ANNEX I

None of the ingredients is included.

National regulations:

Classification according to VbF: Not applicable

Technical instructions air:

VOC value EU-RL 1999/13: 15.3 g / I

VOC value EU-RL 1999/13

In%: 1.50% VOC value (Switzerland): 1.50%

Water hazard class: WGK 1 (self-classification): slightly hazardous to water.

Other regulations, restrictions and

prohibition regulations

Employees observe the law on indoor protection.

15.2 Chemical Safety Assessment: A chemical safety assessment was not

carried out.

SECTION 16: Other information.

Wording of the hazard statements H319 Causes serious eye irritation.

in chapter 3: R 36 irritates the eyes.

Document History: Printed on: 15. March 2018

Previous edition: 24.10.2016

Version: 2

MagPaint Europe B.V. Riezenweg 2 NL – 7071 PR Ulft

PAINT FOR PROS

SAFETY DATA SHEET

Date of issue: 15 march 2018
Trade name: BeamerPaint Finish

Page: 9/9 Version: 3

Modification: Trade name, supplier and

layout

The above information is due to careful laboratory tests and literature

and are based on the state of knowledge at the time of issue of this safety data sheet. They describe the safety-relevant properties and requirements of the product. A warranty claim in case of damage cannot be derived from this. With the new edition of safety data sheets, older ones lose their validity.

Department issuing data sheet: Laboratory

Contact: Dr. Wolfgang Schörkhuber

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VbF: Ordinance on Flammable Liquids, Austria (Ordinance on the storage of combustible liquids,

Austria)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage / eye irritation, Hazard Category 2